Chemosat®

www.chemosat.de

For more information on CHEMOSAT
or how to refer a patient, contact:

Ina Hellermann
German Regional Manager
+49 (0) 179 903 9339
ihellermann@delcath.com

PATIENT PATHWAY

Chemosat®

Patient Timelines and Touchpoints*[1]

PATIENTS CAN RECEIVE UP TO 6 TREATMENTS

6-8 WEEKS: RE-TREATMENT INTERVAL

REFERRAL

CHEMOSAT Centre/Local Oncology Unit

4 weeks prior to treatment:
- Blood tests
- MRI liver
- MRI brain
- CT of chest, abdomen and pelvis

ASSESSMENT

CHEMOSAT Centre

1-2 weeks prior to treatment:
- Blood tests
- Overall fitness
- ECG
- Angiogram
- Embolisation

TREATMENT

CHEMOSAT Centre

CHEMOSAT (every 6-8 weeks)

FOLLOW UP

CHEMOSAT Centre/Local Oncology Unit/ GP

Post chemosaturation therapy follow up (week 1)
- Blood tests x2

CHEMOSAT Centre/Local Oncology Unit/ GP

Post chemosaturation therapy follow up (week 2)
- Blood tests x2

CHEMOSAT Centre/Local Oncology Unit/ GP

Post chemosaturation therapy follow up (week 3)
- Blood tests x1

ASSESSMENT

CHEMOSAT Centre/Local Hospital

Post chemosaturation therapy follow up MRI (week 6-8)
- CT/MRI

6-8 WEEKS: RE-TREATMENT



* Tests and timelines may vary depending on hospital and individual clinical needs. Subject to individual centre experience.
The test and timeline protocol above has been adapted from the FOCUS study protocol.

Chemosat®

Reference: 1. Delcath Systems (2021), Data on File, REF-1344(v1.0) FOCUS Informed Consent Form.

EMEA-P-1334-v1 | March 2024

Delcath®